

19 August 2025

Å
 Å

Oxford Instruments plc
 (the Oxford Instruments or the Company)
 Å
Transaction in Own Shares
 Å
 Å

Oxford Instruments announces that, in accordance with the terms of its share buyback programme announced on 25 June 2025 (the "Share Buyback Programme"), the Company purchased the following number of its own ordinary shares of 5p each through Numis Securities Limited (the Deutsche Numis) for cancellation at an average price of 1807.1422 pence per share:

Å
 Å

Date of purchase:	18 August 2025
Aggregate number of ordinary shares purchased:	20,000
Lowest price paid per share (GBp):	1804.0000
Highest price paid per share (GBp):	1816.0000
Volume weighted average price paid per share (GBp):	1807.1422

Å
 Å

Subject to settlement of the above purchases and cancellation of the purchased ordinary shares, the Company's total number of ordinary shares in issue shall be 57,426,603. The Company holds no shares in treasury and therefore the total number of voting rights in the Company will be 57,426,603. This figure for the total number of voting rights may be used by shareholders as the denominator for the calculations by which they will determine if they are required to notify their interest in, or a change to their interest in, the Company under the FCA's Disclosure Guidance and Transparency Rules.

Å
 Å

Aggregate information:

Å
 Å

Venue	Weighted average price paid per share (GBp)	Aggregate number of shares purchased
London Stock Exchange	1807.0332	12,000
BATS Trading Europe	1807.3058	8,000

Å
 Å

Transaction Details:

Å
 Å

In accordance with Article 5(1)(b) of the Market Abuse Regulation (EU) No. 596/2014 as it forms part of UK law, the table below contains detailed information of the individual trades made by Deutsche Numis on behalf of the Company as part of the Share Buyback Programme:

Å

Number of ordinary shares purchased	Transaction price (GBp share)	Time of transaction (UK Time)	Transaction reference number	Trading venue
52	1816.00	Å 08:18:21	00076674655TRLO0	XLON
65	1810.00	Å 08:19:24	00076674683TRLO0	XLON
194	1810.00	Å 08:19:24	00076674684TRLO0	XLON
234	1806.00	Å 08:38:43	00076675104TRLO0	XLON
233	1810.00	Å 08:44:54	00076675233TRLO0	XLON
98	1808.00	Å 09:02:14	00076675765TRLO0	XLON
43	1808.00	Å 09:02:14	00076675766TRLO0	XLON
73	1808.00	Å 09:02:14	00076675767TRLO0	XLON
217	1810.00	Å 09:12:52	00076676061TRLO0	XLON
5	1814.00	Å 09:36:02	00076676898TRLO0	XLON
19	1814.00	Å 09:36:02	00076676899TRLO0	XLON
6	1814.00	Å 09:36:02	00076676900TRLO0	XLON
247	1814.00	Å 09:37:22	00076676922TRLO0	XLON
8	1804.00	Å 10:02:00	00076677680TRLO0	XLON
8	1804.00	Å 10:02:00	00076677681TRLO0	XLON
222	1804.00	Å 10:02:08	00076677685TRLO0	XLON
11	1804.00	Å 10:12:13	00076677928TRLO0	XLON
68	1804.00	Å 10:12:13	00076677929TRLO0	XLON
7	1804.00	Å 10:12:13	00076677930TRLO0	XLON
157	1804.00	Å 10:13:22	00076677957TRLO0	XLON
4	1808.00	Å 10:27:09	00076678391TRLO0	XLON
238	1808.00	Å 10:27:09	00076678392TRLO0	XLON
10	1808.00	Å 10:33:25	00076678649TRLO0	BATE
53	1808.00	Å 10:33:25	00076678650TRLO0	BATE

28	1808.00	Å 10:33:25	00076678651TRLO0	BATE
6	1808.00	Å 10:51:25	00076679167TRLO0	BATE
12	1808.00	Å 10:51:25	00076679168TRLO0	BATE
11	1806.00	Å 10:52:39	00076679213TRLO0	XLON
2	1808.00	Å 10:53:25	00076679234TRLO0	BATE
7	1808.00	Å 10:53:25	00076679235TRLO0	BATE
8	1806.00	Å 10:55:58	00076679359TRLO0	XLON
1	1808.00	Å 10:55:58	00076679360TRLO0	BATE
5	1808.00	Å 10:59:53	00076679448TRLO0	BATE
203	1806.00	Å 11:00:06	00076679465TRLO0	XLON
239	1806.00	Å 11:00:06	00076679466TRLO0	XLON
146	1806.00	Å 11:00:06	00076679464TRLO0	BATE
100	1806.00	Å 11:00:06	00076679467TRLO0	BATE
26	1808.00	Å 11:06:35	00076679652TRLO0	BATE
7	1808.00	Å 11:06:35	00076679653TRLO0	BATE
1	1808.00	Å 11:06:35	00076679654TRLO0	BATE
159	1808.00	Å 11:10:35	00076679694TRLO0	BATE
6	1806.00	Å 11:15:50	00076679788TRLO0	XLON
11	1806.00	Å 11:15:50	00076679789TRLO0	XLON
14	1806.00	Å 11:15:50	00076679790TRLO0	XLON
9	1806.00	Å 11:15:50	00076679791TRLO0	XLON
1	1806.00	Å 11:15:58	00076679794TRLO0	BATE
185	1806.00	Å 11:29:34	00076680122TRLO0	XLON
154	1806.00	Å 11:29:34	00076680120TRLO0	BATE
57	1806.00	Å 11:29:34	00076680121TRLO0	BATE
101	1806.00	Å 11:29:34	00076680123TRLO0	BATE
39	1804.00	Å 11:46:38	00076680487TRLO0	XLON
183	1804.00	Å 11:47:57	00076680502TRLO0	XLON
18	1806.00	Å 11:49:05	00076680513TRLO0	BATE
31	1806.00	Å 11:52:01	00076680563TRLO0	BATE
45	1806.00	Å 11:52:01	00076680564TRLO0	BATE
35	1806.00	Å 11:52:01	00076680565TRLO0	BATE
209	1806.00	Å 12:19:02	00076680989TRLO0	XLON
67	1806.00	Å 12:19:02	00076680987TRLO0	BATE
124	1806.00	Å 12:19:02	00076680988TRLO0	BATE
22	1806.00	Å 12:19:02	00076680990TRLO0	BATE
161	1806.00	Å 12:19:02	00076680991TRLO0	BATE
175	1806.00	Å 12:19:02	00076680992TRLO0	BATE
8	1808.00	Å 12:52:01	00076681660TRLO0	BATE
35	1810.00	Å 12:52:04	00076681661TRLO0	BATE
219	1810.00	Å 12:52:04	00076681662TRLO0	BATE
35	1808.00	Å 12:53:01	00076681673TRLO0	XLON
4	1808.00	Å 12:53:01	00076681674TRLO0	XLON
76	1810.00	Å 12:53:01	00076681675TRLO0	BATE
120	1808.00	Å 12:53:01	00076681676TRLO0	XLON
167	1810.00	Å 12:54:55	00076681708TRLO0	BATE
23	1810.00	Å 12:54:55	00076681709TRLO0	BATE
14	1810.00	Å 12:54:55	00076681710TRLO0	BATE
5	1810.00	Å 12:54:59	00076681712TRLO0	BATE
17	1808.00	Å 12:55:06	00076681716TRLO0	XLON
4	1808.00	Å 12:55:06	00076681717TRLO0	XLON
4	1808.00	Å 12:55:55	00076681738TRLO0	XLON
243	1808.00	Å 12:55:55	00076681740TRLO0	XLON
74	1808.00	Å 12:55:55	00076681742TRLO0	XLON
15	1808.00	Å 12:55:55	00076681739TRLO0	BATE
11	1808.00	Å 12:55:55	00076681741TRLO0	BATE
152	1808.00	Å 12:55:55	00076681743TRLO0	BATE
40	1806.00	Å 13:01:30	00076681855TRLO0	XLON
9	1806.00	Å 13:01:30	00076681856TRLO0	XLON
14	1808.00	Å 13:01:30	00076681857TRLO0	BATE
253	1806.00	Å 13:04:43	00076681916TRLO0	XLON
159	1808.00	Å 13:22:30	00076682347TRLO0	BATE
17	1808.00	Å 13:22:30	00076682348TRLO0	BATE
30	1808.00	Å 13:22:30	00076682349TRLO0	BATE
19	1808.00	Å 13:22:30	00076682350TRLO0	BATE
10	1808.00	Å 13:22:30	00076682351TRLO0	BATE
12	1808.00	Å 13:22:35	00076682353TRLO0	BATE
17	1808.00	Å 13:23:15	00076682364TRLO0	BATE
116	1806.00	Å 13:24:02	00076682393TRLO0	XLON

29	1806.00	Å 13:24:02	00076682394TRLO0	XLON
28	1806.00	Å 13:24:02	00076682395TRLO0	XLON
15	1806.00	Å 13:25:00	00076682450TRLO0	XLON
4	1806.00	Å 13:25:00	00076682451TRLO0	XLON
2	1806.00	Å 13:25:00	00076682452TRLO0	XLON
2	1806.00	Å 13:25:00	00076682453TRLO0	XLON
47	1806.00	Å 13:31:05	00076682596TRLO0	XLON
216	1806.00	Å 13:31:05	00076682597TRLO0	XLON
26	1806.00	Å 13:31:05	00076682594TRLO0	BATE
138	1806.00	Å 13:31:05	00076682595TRLO0	BATE
51	1806.00	Å 13:52:39	00076683072TRLO0	BATE
35	1806.00	Å 13:52:39	00076683073TRLO0	BATE
1	1806.00	Å 13:52:39	00076683074TRLO0	BATE
13	1806.00	Å 13:52:39	00076683075TRLO0	BATE
45	1806.00	Å 13:52:39	00076683076TRLO0	BATE
1	1806.00	Å 13:52:39	00076683077TRLO0	BATE
9	1806.00	Å 13:52:44	00076683078TRLO0	BATE
13	1808.00	Å 14:04:58	00076683401TRLO0	XLON
160	1808.00	Å 14:04:58	00076683402TRLO0	XLON
70	1808.00	Å 14:04:58	00076683403TRLO0	XLON
240	1808.00	Å 14:04:58	00076683404TRLO0	XLON
53	1806.00	Å 14:06:21	00076683426TRLO0	XLON
57	1806.00	Å 14:06:21	00076683427TRLO0	XLON
15	1806.00	Å 14:06:21	00076683428TRLO0	XLON
46	1808.00	Å 14:06:25	00076683429TRLO0	BATE
158	1808.00	Å 14:06:25	00076683430TRLO0	BATE
155	1806.00	Å 14:07:38	00076683478TRLO0	XLON
33	1808.00	Å 14:07:45	00076683498TRLO0	BATE
13	1808.00	Å 14:07:45	00076683499TRLO0	BATE
158	1808.00	Å 14:10:45	00076683611TRLO0	BATE
4	1808.00	Å 14:16:25	00076683834TRLO0	BATE
39	1808.00	Å 14:16:25	00076683835TRLO0	BATE
29	1808.00	Å 14:16:25	00076683836TRLO0	BATE
13	1808.00	Å 14:16:25	00076683837TRLO0	BATE
20	1808.00	Å 14:16:25	00076683838TRLO0	BATE
87	1808.00	Å 14:16:30	00076683845TRLO0	BATE
20	1808.00	Å 14:17:30	00076683851TRLO0	BATE
41	1806.00	Å 14:18:56	00076683877TRLO0	BATE
114	1806.00	Å 14:26:31	00076684056TRLO0	XLON
18	1806.00	Å 14:26:31	00076684058TRLO0	XLON
117	1806.00	Å 14:26:31	00076684061TRLO0	XLON
233	1806.00	Å 14:26:31	00076684062TRLO0	XLON
105	1806.00	Å 14:26:31	00076684057TRLO0	BATE
146	1806.00	Å 14:26:31	00076684059TRLO0	BATE
144	1806.00	Å 14:26:31	00076684060TRLO0	BATE
4	1806.00	Å 14:36:15	00076684483TRLO0	BATE
155	1808.00	Å 14:37:15	00076684541TRLO0	BATE
162	1808.00	Å 14:39:15	00076684664TRLO0	BATE
148	1808.00	Å 14:45:15	00076685012TRLO0	BATE
41	1808.00	Å 14:46:42	00076685055TRLO0	XLON
75	1808.00	Å 14:46:42	00076685056TRLO0	XLON
110	1808.00	Å 14:46:42	00076685057TRLO0	XLON
226	1808.00	Å 14:46:42	00076685058TRLO0	XLON
213	1806.00	Å 14:46:42	00076685061TRLO0	XLON
148	1806.00	Å 14:46:42	00076685059TRLO0	BATE
161	1806.00	Å 14:46:42	00076685060TRLO0	BATE
147	1806.00	Å 14:56:22	00076685497TRLO0	XLON
83	1806.00	Å 14:56:22	00076685498TRLO0	XLON
8	1806.00	Å 14:56:22	00076685499TRLO0	XLON
23	1806.00	Å 14:56:22	00076685500TRLO0	XLON
22	1806.00	Å 14:56:22	00076685501TRLO0	XLON
43	1806.00	Å 14:56:22	00076685502TRLO0	XLON
234	1804.00	Å 14:56:23	00076685521TRLO0	XLON
230	1804.00	Å 14:56:23	00076685522TRLO0	XLON
144	1806.00	Å 15:13:36	00076686314TRLO0	BATE
4	1806.00	Å 15:15:12	00076686413TRLO0	BATE
240	1806.00	Å 15:21:21	00076686572TRLO0	XLON
13	1806.00	Å 15:21:21	00076686574TRLO0	XLON

239	1806.00	Å 15:21:21	00076686576TRLO0	XLON
257	1806.00	Å 15:21:21	00076686581TRLO0	XLON
255	1806.00	Å 15:21:21	00076686582TRLO0	XLON
30	1806.00	Å 15:21:21	00076686571TRLO0	BATE
168	1806.00	Å 15:21:21	00076686573TRLO0	BATE
173	1806.00	Å 15:21:21	00076686575TRLO0	BATE
158	1806.00	Å 15:21:21	00076686577TRLO0	BATE
36	1806.00	Å 15:21:21	00076686579TRLO0	BATE
158	1806.00	Å 15:21:21	00076686580TRLO0	BATE
146	1804.00	Å 15:27:21	00076686862TRLO0	XLON
27	1804.00	Å 15:27:21	00076686863TRLO0	XLON
4	1804.00	Å 15:27:21	00076686860TRLO0	BATE
151	1804.00	Å 15:27:21	00076686861TRLO0	BATE
49	1804.00	Å 15:27:21	00076686864TRLO0	XLON
24	1804.00	Å 15:27:22	00076686866TRLO0	XLON
96	1804.00	Å 15:28:43	00076686914TRLO0	BATE
41	1804.00	Å 15:33:22	00076687059TRLO0	XLON
217	1804.00	Å 15:33:22	00076687060TRLO0	XLON
556	1806.00	Å 15:50:25	00076687574TRLO0	BATE
815	1806.00	Å 15:50:25	00076687575TRLO0	XLON
3	1808.00	Å 15:51:36	00076687596TRLO0	BATE
38	1808.00	Å 15:51:36	00076687597TRLO0	BATE
109	1808.00	Å 15:51:36	00076687598TRLO0	BATE
149	1808.00	Å 15:54:25	00076687698TRLO0	BATE
159	1808.00	Å 15:58:25	00076687857TRLO0	BATE
30	1806.00	Å 15:58:25	00076687858TRLO0	XLON
6	1808.00	Å 15:59:54	00076687913TRLO0	BATE
33	1808.00	Å 16:00:10	00076687935TRLO0	BATE
30	1808.00	Å 16:03:10	00076688044TRLO0	BATE
95	1808.00	Å 16:03:10	00076688045TRLO0	BATE
27	1808.00	Å 16:03:10	00076688046TRLO0	BATE
860	1808.00	Å 16:05:05	00076688137TRLO0	XLON
152	1808.00	Å 16:05:05	00076688138TRLO0	BATE
75	1808.00	Å 16:05:05	00076688139TRLO0	BATE
172	1810.00	Å 16:11:10	00076688364TRLO0	BATE
161	1810.00	Å 16:11:10	00076688365TRLO0	BATE
311	1810.00	Å 16:11:10	00076688366TRLO0	XLON
168	1810.00	Å 16:11:10	00076688367TRLO0	XLON
75	1810.00	Å 16:11:10	00076688368TRLO0	XLON
109	1810.00	Å 16:15:52	00076688532TRLO0	XLON
21	1810.00	Å 16:15:52	00076688533TRLO0	XLON
14	1810.00	Å 16:15:52	00076688534TRLO0	XLON
11	1810.00	Å 16:15:52	00076688535TRLO0	XLON
185	1810.00	Å 16:17:52	00076688603TRLO0	XLON
30	1810.00	Å 16:17:52	00076688604TRLO0	XLON
22	1810.00	Å 16:18:28	00076688614TRLO0	BATE
127	1810.00	Å 16:18:28	00076688615TRLO0	BATE
5	1810.00	Å 16:18:28	00076688616TRLO0	BATE
182	1812.00	Å 16:21:35	00076688710TRLO0	BATE
242	1810.00	Å 16:21:37	00076688712TRLO0	XLON
67	1810.00	Å 16:21:37	00076688711TRLO0	BATE

Å

Å

For further details:

Å

Oxford Instruments plc

Å

Stephen Lamacraft, Head of Investor RelationsÅÅ Å Å Tel: +44 7776 433 916

Å

Å

Å