



THIS ANNOUNCEMENT CONTAINS INSIDE INFORMATION FOR THE PURPOSES OF ARTICLE 7 OF REGULATION 2014/596/EU WHICH IS PART OF DOMESTIC UK LAW PURSUANT TO THE MARKET ABUSE (AMENDMENT) (EU EXT) REGULATIONS (SI 2019/310) ("UK MAR"). UPON THE PUBLICATION OF THIS ANNOUNCEMENT, THIS INSIDE INFORMATION (AS DEFINED IN UK MAR) IS NOW CONSIDERED TO BE IN THE PUBLIC DOMAIN.

NOT FOR RELEASE, PUBLICATION OR DISTRIBUTION, IN WHOLE OR IN PART, DIRECTLY OR INDIRECTLY IN OR INTO THE UNITED STATES, AUSTRALIA, CANADA, JAPAN, THE REPUBLIC OF SOUTH AFRICA OR ANY OTHER JURISDICTION WHERE TO DO SO WOULD CONSTITUTE A VIOLATION OF THE RELEVANT LAWS OF SUCH JURISDICTION.

8 January 2026

Cobra Resources plc
("Cobra" or the "Company")

Manna Hill Project Exploration Update

IP survey results validate and extend copper-gold skarn and porphyry signatures

Drill site preparation underway for drilling to commence imminently

[Cobra \(LSE: COBR\)](#), a South Australian mineral exploration and development company, is pleased to announce results from a recent Induced Polarisation ("IP") survey that support the interpretation for scalable copper-gold skarn and porphyry mineralisation at the Blue Rose Prospect ("Blue Rose"), part of the Manna Hill Project.

Cobra has a 12-month option to acquire the Manna Hill Project and will focus initially on Blue Rose where existing drilling has intersected skarn hosted copper-gold mineralisation across 1.6km of strike immediately adjacent to a geophysical anomaly interpreted as a porphyry intrusion¹. Refined geophysics support strong potential for significant strike extension.

Highlights:

- The IP Survey defines two additional large scale chargeability targets:
 - o **Black Baccara Porphyry Target:** A large chargeability high (>40 millivolts per volt) that envelops the remnant demagnetised bulls-eye anomaly. This is interpreted to represent sulphide mineralisation and silica alteration within a greater porphyry system.
 - o This includes a coincident chargeable and conductive pipe that may represent strata bound alteration that is controlled and intensified by cross-faulting within folded limestone unit
 - o The occurrence of brittle faults cross-cutting stratigraphic units hosting mineralisation is a common feature of other world class dolomite hosted skarns such as the Big Gossan skarn at Grasberg²
 - o **Neptune Rose Target:** continuous ~1,200m chargeability anomaly coincident with the interpreted northern fold limb, supporting the Company's interpretation for scalable resource potential from shallow, high grade skarn mineralisation
- Drilling preparation completed to drill up to 50 drillholes testing:
 1. Depth and strike continuity of existing Blue Rose skarn mineralisation
 2. Neptune Rose target, aiming to demonstrate the presence of a second skarn system
 3. Deeper reverse circulation ("RC") holes targeting the chargeability anomalism interpreted to be associated with key structural features and geological units hosting porphyry mineralisation
- Drilling of a minimum of 15 drillholes to commence in mid-January and last for two weeks with results expected by early March

Rupert Verco, Managing Director of Cobra, commented:

"Blue Rose is the right geological setting to deliver a major porphyry discovery and IP survey results have strengthened Cobra's conviction of scale and the possibility for such a discovery at Manna Hill."

The geophysics results have provided us with the perfect launch pad into 2026, delivering exactly what we wanted to see, with an untested east-to-west trending chargeability anomaly associated with an untested skarn limb at Neptune Rose, and the chargeability envelope wrapping around the previously modelled remnant magnetised core at the Black Baccara Porphyry target. This is textbook geophysics for a porphyry system.

There is a growing copper deficit forecast between supply and demand. We are in the right postcode. South Australia hosts 70% of Australia's proven copper reserves, and previous intersections point to favourable high grade, shallow mineralisation, while results of this recent IP survey support the Company's interpretation for scale."

Follow this link to watch a short video of MD Rupert Verco explaining the results released in this announcement: <https://investors.cobraplc.com/link/r6Vz5r>

What makes this geophysics work so important?


IP is an instrumental tool in defining copper mineralisation within porphyry systems, particularly the identification of disseminated sulphides (chalcopyrite ± bornite ± pyrite) and the mapping of alteration halos and sulphide assemblages within a greater porphyry system.

IP evaluates the variation of electrical response of a rock mass particularly the chargeability, resistivity and conductivity responses, where:

- **Chargeability:** reflects the rocks' capacity to hold an electrical charge which is increased by the presence of disseminated or massive sulphides.
- **Resistivity:** reflects how resistive a rock mass is to an electrical current. Within a porphyry, resistivity highs can reflect silicified and potassic alteration zones whilst resistive lows can reflect phyllic and argillic alteration.
- **Conductivity:** is the inverse of resistivity, where conductivity highs can reflect massive sulphides such as pyrite halos or clays and alteration caps.

The IP features defined within the survey have successfully enabled Cobra to improve the modelling and refine drill targeting.

Figure 1: IP Chargeability sections and model highlighting defined targets in context to existing skarn mineralisation (significant intersections defined by red cylinders) black tracers represent the first stage of drilling, grey traces represent historic drill traces.






Figure 2: IP Resistivity/Conductivity sections in reference to defined targets.






Figure 3: Chargeability 2D section L28800, showing a chargeable 'finger' of ~40 millivolts per volt originating at depth.





About the Manna Hill Project

The Manna Hill Project presents South Australia's premier porphyry prospect in the state that holds around 70% of Australia's copper reserves. The project is comprised of multiple early-stage porphyry and skarn prospects.

The project also includes the Luron Carlin style gold prospect and multiple historic goldfields where over 30koz gold were reported to have been produced. This style of mineralisation remains underexplored and highly prospective.

The project sits along the national railway and Barrier Highway between the mining hub of Broken Hill, the port and base metals smelter and Port Pirie, and the City of Adelaide.

Enquiries:

Cobra Resources plc
Rupert Verco (Australia)
Dan Maling (UK)

via Vigo Consulting
+44 (0)20 7390 0234

SI Capital Limited (Joint Broker)
Nick Emerson
Sam Lomanto

+44 (0)1483 413 500

Global Investment Strategy (Joint Broker)
James Sheehan

+44 (0)20 7048 9437
james.sheehan@gisukltd.com

Vigo Consulting (Financial Public Relations)
Ben Simons
Fiona Hetherington

+44 (0)20 7390 0234
cobra@vigoconsulting.com

The person who arranged for the release of this announcement was Rupert Verco, Managing Director of the Company.

Information in this announcement relates to exploration results that have been reported in the following announcements:

- Cobra RNS: [Option to Acquire Significant Copper Project, 26 August 2025](#)

References:

1. Cobra RNS: Option to Acquire Significant Copper Project, 26 August 2025
2. Meinert, L.D., Hefton, K.K., Mayes, D., Tasiran, I., 1997. Geology, zonation, and fluid evolution of the Big Gossan Cu-Au skarn deposit, Ertzberg district, Irian Jaya. *Economic Geology* 92, 509-534.

Competent Persons Statement

Information in this announcement has been compiled based on reports from Mitre Geophysics consultants and assessed by Mr Rupert Verco, a Fellow of the Australasian Institute of Mining and Metallurgy. Mr Verco is an employee of Cobra and has more than 17 years' industry experience which is relevant to the style of mineralisation, deposit type, and activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the Australasian Code for Reporting Exploration Results, Mineral Resources and Ore Reserves of JORC. This includes 13 years of Mining, Resource Estimation and Exploration.

About Cobra

Cobra Resources is a South Australian critical minerals developer, advancing assets at all stages of the pre-production pathway.


In 2023, Cobra identified the Boland ionic rare earth discovery at its Wudinna Project in the Gawler Craton - Australia's only rare earth project suitable for in situ recovery (ISR) mining. ISR is a low-cost, low-disturbance extraction method that eliminates the need for excavation, positioning Boland to achieve bottom-quartile recovery costs.

In 2025, Cobra further expanded its portfolio by entering the Manna Hill Copper Project in the Neokera

In 2025, Cobra further expanded its portfolio by optioning the Manna Hill Copper Project in the Hackara Arc, South Australia. The project contains multiple underexplored prospects with strong potential to deliver large-scale copper discoveries.

In 2025, Cobra sold its Wudinna Gold Assets to Barton Gold (ASX: BDG) for up to A 15 million in cash and shares.

Regional map showing Cobra's tenements in South Australia



Follow us on social media:

LinkedIn: <https://www.linkedin.com/company/cobraresourcesplc>

X: https://twitter.com/Cobra_Resources

Engage with us by asking questions, watching video summaries and seeing what other shareholders have to say. Navigate to our Interactive Investor hub here: <https://investors.cobraplc.com/>

Subscribe to our news alert service: <https://investors.cobraplc.com/auth/signup>

Appendix 1: JORC Code, 2012 Edition - Table 3

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required such 	<p>Historic</p> <p>Historic drill programs have been conducted by multiple companies and methods the historically reported results are being reviewed prior to any broader reporting of results. In general lab assay results across differing programs show comparable tenors of grade and distribution.</p>

	<p>more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</p>	
Drilling techniques	<ul style="list-style-type: none"> Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	<p>Historic Drilling</p> <ul style="list-style-type: none"> Historic drill methods were predominantly aircore and RC drilling with some diamond drilling reported
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<ul style="list-style-type: none"> Historic recoveries have not been assessed. Drill methods and geological conditions are not expected to promote significant reduced recovery or sample biasing
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. 	<ul style="list-style-type: none"> Historic logging has been completed with a number of different geological logging codes. These are being translated into a standardized logging format prior to entry into the Cobra Drillhole Database
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. 	<p>Historic</p> <ul style="list-style-type: none"> Historic sampling has not been assessed.
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. 	<p>Historic</p> <ul style="list-style-type: none"> Lab certificates for a large number of drill samples have been retained from historic drilling. These certificates will be used for the import of data into Cobra's drillhole database.
Verification of sampling and assaying	<ul style="list-style-type: none"> The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. 	<p>Historic</p> <ul style="list-style-type: none"> Reported significant intercepts have been reported to the Australian Stock Exchange in the past Primary assay data and drill logs for reported holes have been reviewed by Cobra staff Further migration of historic data into the Cobra drillhole database is underway with validation during this process to be undertaken.
Location of data points	<ul style="list-style-type: none"> Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. 	<p>Historic</p> <ul style="list-style-type: none"> Historic Drillholes were recorded with a number of different datums. Validation of the datums used for each program have been conducted and are

	<ul style="list-style-type: none"> Quality and adequacy of topographic control. 	<p>continuing. The key historic drilling used for planning of the January 2026 drill program have high confidence in the datum used and have been assessed in the field</p>
Data spacing and distribution	<ul style="list-style-type: none"> Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	<p>Historic</p> <ul style="list-style-type: none"> Historic drilling was variably spaced. The drill spacing was sufficient to define mineralization trends at the Blue Rose Skarn but not to the extent of defining a resource. Drilling at Desert Rose and Double Delight has not been sufficient to assess the prospects and has been sparse
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<ul style="list-style-type: none"> Drillholes have been vertical or south dipping Deeper historic drilling has been south dipping Mineralization is interpreted to be steeply dipping with limited success to date in identifying a slight north or south dip. Deeper planned drilling is expected to help with this interpretation
Sample security	<ul style="list-style-type: none"> The measures taken to ensure sample security. 	<p>Historic</p> <ul style="list-style-type: none"> No issues with sample security were reported or are expected to have occurred
Audits or reviews	<ul style="list-style-type: none"> The results of any audits or reviews of sampling techniques and data. 	

Appendix 2 Section 2 reporting of exploration results

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	<ul style="list-style-type: none"> Blue Rose is located on EL6009 that is held by Hamelin Gully Pty Ltd. Manna Hill Mining Pty Ltd, a subsidiary of Cobra Resources Plc has a 12-month option to acquire Hamelin Gully. This drilling forms part of the company's strategy to seek shareholder approval to exercise the option. A 1% Over Riding Royalty Agreement is registered between Hamelin Gully and Springton Trust A Native Title Agreement is in place between the Wilyakali People and Hamelin Gully Pty Ltd Cultural heritage surveys have been completed over EL6009, clearing proposed drill sites
Exploration done by other parties	<ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. 	<ul style="list-style-type: none"> Historic Exploration has been conducted by multiple companies with key work completed by PacMag, Lynas and Giralia Resources. Historic exploration demonstrated the geological environment at Blue Rose and the potential for economic mineralization Commercially driven decisions and land access challenges (now resolved) were common trends in the history of the project transactions
Geology	<ul style="list-style-type: none"> Deposit type, geological setting and style of mineralisation. 	<p>Blue Rose</p> <ul style="list-style-type: none"> Blue Rose is skarn hosted mineralization on the margins of the Anabarna Granite The skarn is interpreted to be stratabound <p>Double Delight</p>

		<ul style="list-style-type: none"> Double Delight is interpreted to be hosted within skarn mineralization. Assessment of the structural vs stratigraphic controls on mineralization will be assessed during drilling <p>Desert Rose</p> <ul style="list-style-type: none"> Desert Rose is interpreted to be a sulphide rich halo around a magnetic low core. <p>Assessment of Geological survey spectral from nearby "near miss" diamond holes indicate the metamorphic gradient and spectral responses anticipated from a porphyry system</p>
Drillhole Information	<ul style="list-style-type: none"> A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> easting and northing of the drill hole collar elevation or RL (Reduced Level - elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	<ul style="list-style-type: none"> Drilling results are being assessed on the migration of data to the Cobra drillhole database Historic drill results reflective of the grades and widths expected of the Blue Rose prospect. Reporting of these results will be included at the completion of the data migration and review.
Data aggregation methods	<ul style="list-style-type: none"> In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> Historic grade intercepts as length weighted averages with downhole lengths reported, appropriate for this stage of drilling No top cutting of grades has been included
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known'). 	<ul style="list-style-type: none"> Downhole intercept lengths are expected to be greater than true length Angled drilling has typically been dipping 60 degrees to the south with the mineralization interpreted to be sub vertical at Blue Rose
Diagrams	<ul style="list-style-type: none"> Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to, a plan view of drill hole collar locations and appropriate sectional views. 	<ul style="list-style-type: none"> Relevant diagrams have been included in the announcement. Exploration results are not being reported for existing mineral resources. Drilling is aimed at defining new mineral resources.
Balanced reporting	<ul style="list-style-type: none"> Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading. 	<ul style="list-style-type: none"> Historic results are being assessed during the data migration to the Cobra drillhole database. This announcement is indicative of the results of the geophysical methods (Induced Polarisation) that method does

	<i>reporting of Exploration Results.</i>	(induced Polarization) the method does not directly indicate size or grades of mineralisation
Other substantive exploration data	<ul style="list-style-type: none"> Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	<ul style="list-style-type: none"> Geophysical results are the focus of the announcement
Further work	<ul style="list-style-type: none"> The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	<ul style="list-style-type: none"> RC drill program at Blue Rose, Desert Rose and Double Delight in early January 2026 Follow up diamond drilling at Desert Rose Greenfields soil sampling program

This information is provided by RNS, the news service of the London Stock Exchange. RNS is approved by the Financial Conduct Authority to act as a Primary Information Provider in the United Kingdom. Terms and conditions relating to the use and distribution of this information may apply. For further information, please contact ms@seg.com or visit www.ms.com.

RNS may use your IP address to confirm compliance with the terms and conditions, to analyse how you engage with the information contained in this communication, and to share such analysis on an anonymised basis with others as part of our commercial services. For further information about how RNS and the London Stock Exchange use the personal data you provide us, please see our [Privacy Policy](#).

END

UPDDGGDBBSGDGLR